KING CRAB, SHRIMP, AND BOTTOM FISH EXPLORATIONS FROM SHUMAGIN ISLANDS TO UNALASKA, ALASKA - SUMMER AND FALL, 1957

By Harold C. Johnson*

SUMMARY

Exploratory fishing to determine the availability and abundance of king crab, shrimp, and bottom fish in certain waters from the Shumagin Islands to Unalaska, Alaska, was conducted by the U. S. Bureau of Commercial Fisheries from July 18 to October 1, 1957. The M/V Tordenskjold, a Seattle commercial trawler, was chartered with Saltonstall-Kennedy Act funds for the work.

A variety of fishing gear was used, including circular and rectangular king-crab pots, large-mesh otter trawls, and a Gulf of Mexico-type shrimp trawl.

During the investigations, 61 ofter-trawl drags and 36 shrimp trawl drags were made and 534 individual king-crab pots were set.




Fig. 1 - Chartered vessel M/V Tordenskjold.

The best catch of king crab using an otter trawl occurred between Umga and Cherni Islands. Other catches of king crabs with the trawl were generally small and not considered productive enough to warrant commercial exploitation. Localities that yielded promising king crab catches while fishing with pots included Stepovak Bay, Dorenoi Bay, and vicinity, off Chichagof Bay, between Umga and Cherni Islands, and Cold Bay.

*Fishery Methods and Equipment Specialist, Branch of Exploratory Fishing and Gear Research, Division of Industrial Research and Services, U. S. Bureau of Commercial Fisheries, Seattle, Wash.

U. S. DEPARTMENT OF THE INTERIOR
Fish and Wildlife Service
Sep. No. 543




Fig. 2 - Areas of exploration.

Excellent catches of shrimp were made using the lined otter trawl and the Gulf of Mexico-type shrimp trawl. Large catches of pink shrimp were made in Balboa Bay, Unga Strait, Stepovak Bay, near Sealion Rocks, and in the vicinity of Beaver and Pavlof Bays. The best shrimp trawl drag of the cruise produced a catch of 3,800 pounds of shrimp in 30 minutes. A number of drags were made which yielded shrimp at rates exceeding 5,000 pounds an hour. Fair signs of larger size varieties such as sidestripe shrimp and coon-stripe shrimp were, at times, mixed with the pink shrimp.

With the exception of a 5-day storm, which occurred during the latter part of August, little time was lost due to adverse weather conditions. As many of the areas fished were in semiprotected waters, small squalls did not hamper fishing activities.

INTRODUCTION

Exploratory fishing for king crab, shrimp, and bottom fish was carried out from July 18 to October 1, 1957, from the Shumagin Islands to Unalaska Bay, Alaska (fig. 2), by the schooner-type trawler Tordenskjold. The vessel was chartered by the U. S. Bureau of Commercial Fisheries with funds provided by the Saltonstall-Kennedy Act of 1954.

The primary objective of this exploratory fishing was to determine the distribution and availability of king crab in waters beyond the range of those now commer-

cially fished. In addition, information on the distribution and availability of bottom fish and shrimp inhabiting the area was collected.

The work was carried out in cooperation with the Bureau's King Crab Investigations, and during part of the cruise a biologist was aboard the Tordenskjold to tag king crab and collect pertinent information.

BACKGROUNDINFORMATION

The presence of king crab in the inshore waters near the Shumagin Islands and Alaska Peninsula has been known for many years. Approximately

4,000 male crabs were reported taken from Pavlof Bay and Canoe Bay in 1938. In 1940 and 1941 fishing operations carried out in Pavlof Fay and Canoe Bay by the Alaska Crab Investigations of the Fish and Wildlife Service revealed a crab population sufficient to support a profitable commercial operation (Anonymous 1942). During the same investigation, Cold Bay and Volcano Bay were also reported to have fair concentrations of king crab.

In the ensuing years the king crab fishery in this area developed slowly. Landings in recent years, however, have increased rapidly and between 1954 and 1956 the catch from the Shumagin area rose from 316,660 pounds to 2,043,967 pounds.

Shrimp and bottom fish, with the exception of halibut and true cod, have not been commercially exploited in the Shumagin Islands or in the areas explored along the Alaska Peninsula.

FISHING GEAR AND METHODS

OTTER TRAWLS: Standard 400-mesh eastern and western otter trawls were used to carry out trawling operations for king crab and bottom fish. The eastern trawl had $4\frac{1}{4}$ -inch mesh in the wings, square, and body, and $3\frac{1}{2}$ -inch mesh in the intermediate and cod end. Details of the eastern trawl have been described by Greenwood (1958). The western trawl was constructed of $4\frac{1}{5}$ -inch mesh throughout.



Fig. 3 - The otter trawl on the surface showing the aluminum floats.

Specifications of this trawl have been described by Alverson (1951). From 16 to 22 aluminum-alloy 8-inch-diameter spherical floats were spaced evenly along the head rope of each net. The last sixfeet of each cod end of both style trawls were lined with $1\frac{1}{2}$ -inch cotton webbing to retain shrimp and immature king crab encountered during the exploration. All drags were made for a period of one hour, when possible, and the average towing speed was 2.4 knots.

GULF SHRIMP TRAWL: Shrimp drags were made with a 43-footflat Gulf of Mexico-type shrimp trawl (Schaefers and Johnson 1957) constructed from 1½-inch mesh cotton

webbing. The net, secured directly to the aft end of the doors with 2-foot extensions of the head rope and foot rope, was towed with a single warp using a 25-fathom bridle ahead of the doors. The shrimp trawl was usually towed for 30 minutes; however, in areas where shrimp catches were large the towing time was reduced to 20 minutes.

KING CRAB POTS: Circular pots similar to those used in the commercial kingcrab fishery of Alaska and patented box-shaped collapsible pots were used during the investigation. The circular pots were 72 inches in diameter, and 24 inches high with two tunnels located opposite each other on the 24-inch side. The framework was constructed of $\frac{3}{4}$ -inch mild steel rod, and covered with 4-inch (open mesh) webbing handwoven from 16-gauge stainless steel wire. A




Fig. 4 - Commercial-type crab pots as used by the Tordenskjold.

hinged access lid, approximately 30 inches by 36 inches, was located on the top of the pot.

Several variations of the standard circular pot were fished, including a 3-tunnel pot and a number of pots with the top frame 12 inches less in diameter than the bottom frame.

1/All mesh sizes in this report refer to stretched measure.

The patented box-shape, collapsible pots were 36 by 72 inches at the base, 36 by 60 inches on top, and 30 inches high. The frames were fabricated of $\frac{5}{8}$ -inch-diameter galvanized mild steel rods (Schaefers et al 1955). The box-type pots proved too light for fishing in offshore waters and it was necessary to add approximately

25 pounds of chain to the bottom of each pot to prevent drifting.

BUOYS AND BUOY LINES: Most pots were fished using rubberized canvas bags 14 to 18 inches in diameter as buoys. A single buoy served as a surface float for each pot to hold at the surface the line from the pot on the bottom and provide a marker. Cotton belting or manila rope were used as harnesses for these buoys but the latter proved undesirable because of excessive chafing (see fig. 7). Cylindrical oxygen tanks of stainless steel, painted yellow and having 11 to 2 cubic feet displacement, were also used as buoys,



Fig. 5 - Weaving the webbing of stainless steel wire on a crab pot .

but these were difficult to see under certain light and water conditions.

Buoy lines were assembled from 50-fathom lengths of $\frac{1}{16}$ -inch or $\frac{1}{5}$ -inch or $\frac{1}{5}$ -inch diameter manila rope joined to a 25-fathom length of $\frac{1}{5}$ -inch diameter manila rope.




Fig. 6 - Collapsible-type pot with extra weight added to the bottom to prevent drifting from its set position.

Sufficient sections were joined endto-end so that the heavier lines were always longer than the depth of water. A gill-net type, 8-inch plastic float was threaded on the lower section of each buoy line and allowed to run free between the pot and a stopper above the pot. This method of rigging prevented chafing of the buoy line on the bottom or against the pot.

Marker buoys were used at both ends of a pot string and occasionally at intermediate locations to aid in locating the gear. These buoys were secured to anchors with \$\frac{15}{32}\$-inch-diameter manila line. The marker buoy con-

sisted of a taped bamboo pole 15 to 18 feet long, with a square red flag and a life raft-type radar reflector on top. Locating gear in offshore waters proved to be relatively simple with the aid of radar reflectors (see fig. 8).

BAITING AND FISHING THE KING CRAB POTS: Bait bags consisted of $1\frac{1}{2}$ -inch mesh, 42-thread, treated cotton webbing, 23 meshes long and 20 meshes wide. To form the bag, square-cut webbing was folded in half and sewed along the open side and bottom. The throat was closed by threading an 18-gauge stainless steel wire through the selvage meshes so that it would operate in a slip-knot fashion.

The bag, baited with about $2\frac{1}{2}$ pounds of fresh or fresh frozen chopped fish was placed inside the pot midway between the tunnel entrances, and held in place by a

double wire-hook arrangement. One hook was attached directly to the bait bag while a short section of heavy rubber was used between the bait bag and the other hook. The hooks, formed from eight-gauge wire, were secured to the top and bottom of the bait bag and fastened to opposite tunnel entrance frames during fishing. The rubber section provided tension to hold the bait in place and allowed easy handling of the bag.

Sculpin, arrow-toothed flounder, and Alaska pollock were the principal baits, although occasionally other species of flat fish and roundfish were tried.

The pots were usually set in strings or rows composed of 8 to 20 individual pots. The total number of pots in a string is called a pot set, although for purposes of clarity in the text and tables, some continuous strings are divided into two sets and other non-




Fig. 7 - Excessive chafing caused by a rope harness.

continuous strings are included as a single and numbered accordingly.

Distances between individual pots in a string usually ranged from one-fourth to one-half mile.




Fig. 8 - Radar reflectors on the marker buoys proved an aid for locating the gear.

As it was difficult to accommodate crab pots on deck concurrent with trawl fishing, the pots were usually hauled and reset during one day's operation. When feasible, trawl fishing was conducted in the same general area on the following day.

VESSEL USED: The Tordenskjold, a schooner-type vessel, is 75 feet in length, with a beam of 18 feet, and a mean-load draft of 9 feet. Built for the halibut fishery, the vessel was converted in 1942 for use in trawl fisheries. This vessel was chartered by the U. S. Bureau of Commercial Fisheries earlier in 1957 for bottom-fish explorations off Southeastern Alaska (Greenwood 1958).

FISHING RESULTS

Exploratory operations were conducted along the south side of the Alaska Peninsula from Stepovak Bay westerly to Unalaska Island in the Aleutian group. (See fig. 2.) Fishing was carried out in most of the major bays within this area and in offshore waters extending out to the 100-fathom contour. During the exploration, 61 otter-trawl drags were made for king crab and bottom fish, 36 drags were made with a Gulf of Mexico-type shrimp trawl, and

534 individual king crab pots were set.

The location of each otter-trawl drag and king crab pot is diagrammatically illustrated in figures 9 and 11, and of each Gulf shrimp trawl drag in figure 12.




Fig. 9 - Location of otter-trawl drags and king-crab pot sets from Stepovak Bay to Sanak Island.

Although the catch per pot as averaged for an aggregate station catch was, in many instances, below the level needed to sustain a commercial operation, occasionally individual pot catches were excellent.

STEPOVAK BAY TO PAVLOF BAY: Explorations in this area included most of the major bays along the Alaska peninsula between Stepovak Bay and Pavlof Bay. and the offshore waters to depths of 100 fathoms. A total of 27 otter-trawl drags, 18 crab pot sets, and 28 Gulf-shrimp-trawl drags was made in this area. The bays and inlets trawled were generally free of snags although hang-ups were noted outside of Beaver Bay, in Unga Strait, near Sealion Rocks, and in the offshore waters




Fig. 10 - Filling a bait bag with chopped fish.

south of the Shumagin Islands. Bottom samples indicated the sea bed through much of the area was composed of green mud, occasionally mixed with sand. Off Pavlof Bay, lava and shell were found, mixed with green mud.

King-Crab Catches--Otter Trawl: King-crab catches made with the otter trawl were small throughout the area. The best catch, made 22 miles south of Sealion Rocks, yielded 10 king crabs.2/ considerably below the minimum necessary to sustain a commercial operation.

King-Crab Catches--Pots: The best crab-pot catches were made in Stepovak Bay, off Chichagof Bay, and in Dorenoi Bay and vicinity. Fifty-one crab pots fished in these localities (pot-set numbers 28, 29, and 30) at depths ranging from 17 to 104 fathoms for an average of 92.6 hours yielded a total of 660 king crabs. The only other pot set (number 16) which produced likely results was made 9 miles southwest of Unga Island in 70 to 87 fathoms. This set consisting of 10 pots caught 79 king crabs, with 66 of them occurring in 4 of the 10 pots.

Shrimp Catches--Otter Trawl: The small-mesh liner used in the otter trawl proved an effective means of ascertaining the presence of significant quantities of shrimp, and initial drags made in Unga Strait and Balboa Bay yielded good catches.


One otter-trawl drag (number 3) made in Balboa Bay produced 760 pounds of shrimp in one hour. The catch was composed predominately of pink shrimp which averaged 1223/ to the pound. The area south of Sealion Rocks also yielded good catches with three 1-hour otter-trawl drags (number 4, 6, and 7) resulting in catches ranging from 240 to 900 pounds of shrimp. The catches consisted chiefly of pink shrimp averaging approximately 113 to the pound, although drag number 4 produced 100 pounds of side-stripe shrimp averaging 28 to the pound.

Shrimp Catches--Gulf Trawl: To better evaluate the shrimp potential, areas which gave promising results with the lined otter trawl were subsequently fished using the 43-foot Gulf trawl. Additional shrimp trawl drags were made in other areas where the bottom topography and depth indicated possible shrimp concentra-

^{2/}Unless otherwise noted, only legal-size king crab (hard-shell males not less than 62 inches in greatest width of shell)

are referred to in the text.

3/All shrimp counts given are the number of whole (heads on) shrimp per pound. Complete details of number of whole (heads on) shrimp per pound for all drags are given in tables 1 and 3.






Fig. 12 - Location of Gulf shrimp trawl drags from Stepovak Bay to Unalaska Bay.

Good catches of shrimp were made with the Gulf trawl south of Sealion Rocks. Two shrimp drags (numbers 2 and 5) produced catches at a rate exceeding 4,000 pounds an hour and several shrimp drags (numbers 1, 3, and 4) caught shrimp at rates in excess of 2,000 pounds an hour. These catches consisted of mixed pink, side-stripe, and coon-stripe shrimp; however, pink shrimp was the predominant species. The best catch of side-stripe shrimp was made in a shrimp drag (number 5), which yielded 400 pounds in 20 minutes. The pink shrimp caught in the Sealion Rock area ranged from 118 to 157 to the pound, while side-stripe shrimp caught in drag number 5 averaged 57 to the pound.

Inshore explorations for shrimp were carried out in Balboa Bay, Unga Strait, and Stepovak Bay and outside of Beaver and Pavlof Bays. All of these localities

produced excellent shrimp catches. Balboa Bay and Unga Strait both yielded catches which exceeded a rate of 4,000 pounds an hour, while the grounds off Pavlof Bay produced shrimp at rates up to 7,300 pounds an hour. The grounds adjacent to Pavlof Bay gave the most consistent large catches of shrimp. Four drags in this area produced catches at rates exceeding 5,000 pounds an hour and 3 drags produced catches at a rate in excess of 3,000 pounds an hour. The best individual catch made during the cruise was made outside Beaver Bay when 3,800 pounds of shrimp were taken in a 30-minute drag (number 29).

Pink shrimp dominated the catch in the inshore bay area; however, catches of side-stripe shrimp in excess of 100 pounds per 20-minute drag were common. Sample counts for pink shrimp in these areas ranged from 92 to 227 per pound, while side-stripe counts ranged from 26 to 135 per pound.

COLD BAY TO SANAK IS-

LAND: Explorations in this

Fig. 13 - A good catch of shrimp made south of Sealion Rocks using the 43-foot Gulf of Mexico-type shrimp trawl.

ters between Unga and Sanak Islands, and the adjacent waters to the east of Sanak Island. Eight otter-trawl drags were made at depths of 40 to 83 fathoms, and four crab-pot sets were made at depths between 38 and 82 fathoms in this area.

King Crab Catches-Otter Trawl: The best otter-trawl catch of king crabs was made between Unga Island and Cherni Island (drag number 39). This drag, made at depths from 66 to 74 fathoms, resulted in a catch of 42 crabs. Other otter-trawl catches resulted in only minor catches of crab.

King Crab Catches--Pots: The largest individual catch was made (set number 21) between Cherni and Unga Islands. A set of 20 pots at depths from 58 to 78 fath-

oms caught 333 king crabs. The next largest catch, 164 was made with 16 pots fished for 26 hours in Cold Bay (set number 31).

Shrimp Catches: Insignificant catches of shrimp were noted in the lined otter trawl drags made in this area, and no attempts were made to locate shrimp with the Gulf shrimp trawl.

MORZHOVOI BAY TO DAVIDSON BANK: Exploratory fishing in this region was conducted in Morzhovoi Bay and Ikatan Bay and on Davidson Bank, south of Unimak Island. A total of 21 otter-trawl drags and 7 sets of king crab pots was made in the area. The drags made in Morzhovoi Bay and Ikatan Bay were free of snags and most of Davidson



Fig. 14 - A catch of 3,300 pounds of shrimp on the deck of the <u>Tordenskjold</u>. This catch was the result of a 30-minute drag outside Pavlof Bay with the 43-foot Gulf of Mexico-type shrimp trawl.

Bank was found suitable for trawling. A considerable amount of gravel bottom was noted on Davidson Bank, while green mud was common in bottom samples taken from the bay areas.

Crab and Shrimp Catches: Both otter-trawl drags and pot sets resulted in insignificant king crab catches. Shrimp catches in the lined otter-trawl were also unfavorable.

AKUTAN BAY TO UNALASKA BAY: Explorations in this area were made in Akutan Bay, Beaver Inlet, and Unalaska Bay. Four otter-trawl drags, 5 pot sets, and 7 drags with the Gulf shrimp trawl were made. No snags were encountered during trawl operations; however, the bottom topography was irregular and only a limited amount of trawling ground was located.

Crab and Shrimp Catches: Crab catches made with the otter-trawl were poor. Although the average catch of crabs per pot in this area was low, a few pots fished in Akutan Bay and Unalaska Bay yielded fair catches. In Akutan Bay, 2 pots caught 31 crabs, and in Unalaska Bay, 4 pots caught 86 crabs. Only 1 drag produced any quantity of shrimp. One drag (number 35) made in Beaver Inlet with the Gulf trawl resulted in a catch of 175 pounds of mixed pink and side-stripe shrimp.

INCIDENTAL FISH AND SHELLFISH CATCHES: The best catch of food fish made during the explorations was taken 7 miles southeast of Cape Lazaref in 59 to 62 fathoms where 5,000 pounds of true cod were caught with the otter-trawl (drag number 41). Other catches of food fish were generally small. Species of fish captured in small amounts included rock sole, pollock, sculpin, and turbot.

Tanner crabs were distributed throughout most of the region explored. In Unalaska Bay, 13 pots produced a catch of 1,109 tanner crabs with 169 crabs taken in 1 pot. A catch containing 555 tanner crabs was also taken in 1 otter-trawl drag made in Ikatan Bay.

Dungeness crabs were taken only in sets made in close proximity to the beach and in comparatively shallow water, such as Unimak Bight and Acheredin Bay. Catches of Dungeness crabs were small even in these areas.

WEATHER CONDITIONS

With the exception of a five-day storm during the latter part of August, little time was lost because of adverse weather conditions. The weather was generally overcast and cloudy with intermittent rain and fog. As many of the areas explored were in semi-protected waters, small squalls did not interfere with fishing activities.

APPENDIX

Detailed fishing logs which give details for each drag are not included in the Review, but are available upon request as an appendix to the reprint of this article. Write for Separate No. 543, which contains these tables:

Table 1 - Fishing Log--Otter-Trawl Drags Made from Shumagin Islands to Unalaska Bay, Alaska, July 18 to September 29, 1957, U. S. Bureau of Commercial Fisheries Chartered Vessel Tordenskjold.

Table 2 - King Crab Pot Sets Made from Shumagin Islands to Unalaska Bay, Alaska, July 20 to October 1, 1957, U. S. Bureau of Commercial Fisheries Chartered Vessel Tordenskjold.

Table 3 - Gulf Shrimp Trawl Fishing Log--Shumagin Islands to Unalaska Island, Alaska, September 6 to 30, 1957, U.S. Bureau of Commercial Fisheries Chartered Vessel Tordenskjold.

Table 4 - Individual Pots Catching 10 or More Legal-Size King Crab, Shumagin Islands to Unalaska Bay, Alaska, July 20 to October 1, 1957, U. S. Bureau of Commercial Fisheries Chartered Vessel Tordenskjold.

LITERATURE CITED

ALVERSON, DAYTON L.
1951. Deep-Water Trawling Survey Off the Coast of Washington (August 27-October 19, 1951). Commercial Fisheries Review, vol. 13, no. 11 (November), pp. 1-16. (Also Separate No. 292.)

ANONYMOUS

1942. The Alaskan King Crab. Fishery Market News, May 1942 Supplement.

GREENWOOD, MELVIN R.

1958. Bottom Trawling Explorations Off Southeastern Alaska, 1956-1957. Commercial Fisheries Review, vol. 20, no. 12 (December), pp. 9-21. (Also Separate No. 532.)

HIPKINS, FRED W. 1956. Dungeness Crab Pots. U. S. Fish and Wildlife Service, Fishery Leaflet 419, July, Washington, D. C.

PROGRESS REPORT AND RECOMMENDATIONS FOR 1958 1958. Department of the Interior, U. S. Fish and Wildlife Service, Bureau of Commercial Fisheries, Alaska Region.

SCHAEFERS, EDWARD A.; SMITH, KEITH A.; and GREENWOOD, MELVIN R.

1955. Bottom Fish and Shellfish Explorations in the Prince William Sound Area, Alaska, 1954. Commercial Fisheries Review, vol. 17, no. 4 (April), pp. 6-28. (Also Separate No. 398.)

SCHAEFERS, EDWARD A., and JOHNSON, HAROLD C. 1957. Shrimp Explorations Off the Washington Coast, Fall 1955 and Spring 1956. Commercial Fisheries Review, vol. 19, no. 1 (January), pp. 9-25. (Also Separate No. 465.)



Created in 1849, the Department of the Interior—America's Department of Natural Resources—is concerned with the management, conservation, and development of the Nation's water, fish, wildlife, mineral, forest, and park and recreational resources. It also has major responsibilities for Indian and Territorial affairs.

As the Nation's principal conservation agency, the Department works to assure that nonrenewable resources are developed and used wisely, that park and recreational resources are conserved for the future, and that renewable resources make their full contribution to the progress, prosperity, and security of the United States—now and in the future.



ı															
rable 1 - rishing LogOtter-Trawl Drags Made	er-Trawl Di	Drags Made from	m Shumagin	Islands to U	Shumagin Islands to Unalaska Bay,	Alaska, July	18	to September 29, 19	u.s.	Bureau of Commerci	mescial Fish	Commercial Fisheries Chartered Vessel Tordenskjold.	ed Vessel To	ordenskjold.	
Drag number Date	7/18/57	7/18/57	7/18/57	7/21/57	7/21/57 5	7/21/57	7/21/57	7/2h/57	7/26/57	10	7/26/57	1/27/57	13	л 7/29/57	15 7/29/57
Latitude W. Longitude W.	55°26,4'	55°27.21	55°28.9° 160°35.6°	54°59.6'	55°02.7' 160°31.9'	55°00.8'	24°58°3'	55°07'	54°47.7' 160°29.5'	54°43.1°	54°38'	54°28.21	54°23.3°	160°03.2°	54°30.8° 161°07.4°
Course, magnetic 1/	2700	78.5	Leg C	octre.	1700	1650	H ₂ °	2180	1580	288	180°	32-	218°	151°	162°
Type of bottom Trawling bottom Time not on bottom in minutes	Clear 5	Clear Clear	Con E	Clear Clear	Spag Spag 18	Clear s.	dk. gp. s. Clear	Clear Clear	6 Cig	Con K	Shag	Clear 60	St. Co. Clear 60	dk. go. 8. M. Clear 60	gn. S. M. Clear 60
Remarks	Gear fouled				No damage						Two-fathom tear				
Estimated total catch in pounds	- 1	500	1250	1200	31	1200	83	675	925	300	200	2800	100	660	8
King orab - (Individuals) Legal-size males	1	(7)	(7)	<u>(5)</u>	!	E	!	Ξ	6	(00)	!		•		
Famor orab - (Individuals)	1 1	(H)	<u>@</u> (2)	(9)	1 1 1	301	£ E	(33)	(7) (79)	(2) (8)	(J)	(μω)	E2	(26)	(60)
Total shrimp catch in pounds (Number whole shrimp per pound)	:	280	760	थ्यं	10	900	400	ᆄ	83	10	1	N	1	125	175
Pink 2/ Side-stripe Coop-stripe	1 1 1	190 (125) 80 (65) 10 (20)	670 (122) Trace 7/	140 (95) 100 (28)	2 (115)	900 (116)	μοο (115)	100 (95)	(πτ) (πτ)	10 (112)	111	2 (95)	1 1 1	125 (60)	175 (60)
Miscellaneous 2/	1 .		No.	:				Irace		1	1				1 1
Flat fish in pounds - % marketable size Flathead "sole" Halibut (Individuals)	1 1	Trace 5/	35 - 00%	(5) - 10 %	: : ! :	Trace	6	20 - 50%	G:	: ; : ;	E¦	나0 - 5 %	1 1 1 1 1 1	1 1	Ξ¦
Rock "sole" Arrow-toothed flounder (turbot) Miscellaneous small flat fish	t 1 1 1 1 1	Trace	35 - 00% 50 - 00%	50 - 50% 60 - 00%	Trace Trace	Trace Trace 30	50	Trace 140 - 00%	50 - 00% 25	Trace Trace	25 - 00% Trace	1680 - 5% 30	25 - 00 %	250 - 5%	850 - 34
Round fish Follock Sablefish	1 1	1 1 1 1 1 2	Trace	50	Trace	8	· Б	8	100	1 1 1 1 1 1	Trace	88 8 8 8	1 1	Trace	<u> </u>
True cod Rockfish 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	t 3 1	30 - 90 X	30 - 00%	8 8 1 8 8 1	Trace	130 - 00%	75 - 100%	::	Trace	35 - 00%	55 - 50% 380 - 100% B/	25.E6 - 000 000 000 000 000 000 000 000 000 0	20 - 25%	20 - 00%
State and dogfish	!!	11	200	230	::	; 3i	Ļδ	Trace	25	¦%	. 85	180	Trace Trace	18	50
												-			
Area				Sc	South of Popof I.,	Unga I., and	Kennoys I.				Bear	aver Bay		North of Samak Is	Islands
Drag number Date	16 7/29/57	17 7/31/57	18 7/31/57	19 7/31/57	20 7/31/57	21 7/31/57	22 7/31/57	8/14/571	24 8/5/57	8/7/57	26 8/9/57	27 8/9/37	28 8/11/57	8/11/57	8/11/57
Latitude W. Longitude W.	54°27.4°	54°54,3°	54°49,6° 160°43.7°	54°45.5°	54°41" 160°39.4"	54°40,2°	54°144.8° 160°49.6°	54°48.5°	55°02,5° 160°23,7°	54°52.8° 161°05'	55°23.7' 160°56.4'	55°30.1° 160°54°	54°30.1'	54°30.1"	54°29.6° 162°20.7°
Course, magnetic 1/ Depth range in fathous	162° 61-69	1350	26-61 1640		178° 52-63		351°	011°	054°	162° 57-62	l	19 -37	\$ 8 8 8	90-91 80-81	075°
Traviling bottom Traviling bottom in minutes	55	dk. gn. S. Clear 60	gn. M. Clear 60	Clear 60	gn. S. M. Clear 60	gn. S. H. Clear 60	gn. S. M. Clear 60	Sueg 50	Clear 60	finag Snag 16	60 guag pros. gn. cr.	66 67	Clear	CLORY	Clear 60
Remarke	thom	tear						Severe tear		Slight tear	Moderate tear	1	Gear fouled Mudded down		
Estimated total catch in pounds	511	325	775	1225	585	thes.	800	35	500	10	1200	800	0	100	85
<pre>King orab = (Individuals) Legal-size males Small males</pre>	1 1	Œ.	(2)	1 1 1 1	1 1	::	(2)	<u>(£)</u>	£		£	(2)	11	• • • • • •	::
Famor orab - (Individuals)	(1)	(65)	(51)	(94)	(21)	(9)	(fig)		(397)	1 :	(15) (395)	(152)	1 :	(월)	(£)
Total shrimp catch in pounds (Number whole shrimp per pound)	1	65 (FOE)	525	325	55 (330)	5 (130)	200 200 (19E)		5		6 (60)			1 (180)	i (5
Fine 2 81de-stripe Coom-stripe Miscellaneous 3/		· · · · · · · · · · · · · · · · · · ·	525 (00)	325 (87) Trace	55 (150)	5 (190)	Trace 125)	 	+ (50) (50) (50)	1 1 1 1	: 15g	1 1 1 1	8 8 8 8	5 (80)	5 (80)
Plat figh in pounds - % marketable size Flathead "sole" Hallbut (Individuals)	છ :	1 1	Trace	Irace	Trace	Trace	Trace	11	фо - 10 %	4 1	60 - 100 %	(25)	1 1	Ξ	(L)
Rook "sole" Arrow-toothed flounder (turbot) Miscellaneous small flat fish	200 - 10% Trace	55 = 5% Trace	50 - 00% 30	350 - 10%	Trace	90 - 10 1	125 - 15 % 85	Trace	100 - 00% Trace	• • • • • •	100-90% 20 - 75% Trace	300-30% Trace	111	70 - 50%	50 SQ
•	1 1	Trace	Trace	μ5	24.0 		50	!!	Trace	::	50	Îra.	1 1 1 1 1 3 1	25 - 05 64	20 - 20 - 20 - 20 - 20 - 20 - 20 - 20 -
inoidish 5/	μο B/- 5%	Trace	Trace	0%	10 = 00% Trace	200 - 00%	25 - 80%	!!	Trace	• •	Irace		8 1	Irace	Trace
Sculpin Strate and dogfish	Trace	25	20	50	20	. 35	-66 	Trace	120	Trace	150	<u>.</u> £	1 : :	JO Trace	; 8
Note: For explanation of footnotes a	and abbreviations, see		end of table 1.												

3/Includes Enalus suckleyi, Enalus macilentus and Cragonidae 4/Includes Sand "sole," Lemon "sole" and Sand dab.	2/Includes Pandalus borealis a	Skate and dogfish	Sablefish True god Rockrish & Others	Rock "sole" Arrow-toothed flounder (turbot) Riscellaneous small flat fish # Round fish Round fish	Plat fish in pounds - % marketable size Fischead "sole" Halibut - (Individuals	#iscellaneous 3/	(Number apple shrimp per pound) Pink	Tanner orab - (Individuals)	King orab - (Individuals) Legal-size males Small males	Estimated total catch in pounds	Traviling bottom Time net on bottom in minutes Remarks	Course, magnetic 1/ Depth range in fathoms	Longitude W.	Date	Aroa	State and dogfish	Sablefish Sablefish Frue god Rookfish 2/ Others	flo idu	Side-stripe Coon-stripe Miscellaneous 2/ Miscellaneous 2/	(Number whole shrimp per pound) Pink 2/ Pink 2/	Small males Small males Females Tanner orab - (Individuals)	King crab - (Individuals)	Type of bottom Trawling bottom Time net on bottom in minutes Remarke	Course, magnetic 1/ Dopth range in fathoms	Latitude N. Longitude W.	Drag number	Table 1 - Fishing Log Otter-Trawl Drags Made from Shumagin Islands to Unalaska Bay, North of Sanak Islands
n "sole" and	rting point a nd Pandalus	Trace				1 1 1 1:1 1 1:1 1	1 1	(6)	11	100	Stag 25	1720	54°01.8°	8/21/57		, £	1 H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1	:	(52)	260	hrd, gn. S. Clear 60	119°	24.077.14	, 31,	r-Trawl Dra
entus and Cr Sand dab.	ind end poir	10 Trace	Trace	200 - 15% 300 - 10%	80 - 10%	111	1 1 1 1	(487)		900	Clear 60	258° 56-62	53°59.91 163°191	8/21/57		70	180 - 95%	(1) Trace	Irace I/		(F) (3)	275		1380	8/11/57 54°33.1'	જ	Drags Made from
agonidae.	ıt.		1111	50 - 52 170 - 52 170 - 52		1111		(42)	::	200	Clear 60	338° 45-55	54°06,21	ив 8/21/57		f0 200	500 - 10%	60 - 90% (5) 170 - 90% 50 - 100%	Trace	-	(4) (55) (4)	2650	dk. gn. M. Clear 60	163°18.7'	8/13/57 54°¥7°		m Shumagi
7/"Trace 8/Pacific	5/Include	Trace	1111	10 - 50%	:			(i)		dama.ga 50	G. Rky Snag 19	227°	54°10,4°	ιφ ε/21/57		550	Trace 35 - 00%	Trace	Trace Trace	:	(1961) (1)	825	1. S. sft. gn. Clear 60			쌛	n Islands to
ocean perc	" - less that	: :	1 1 1 1 1 1 1 1 1 1 1 1							0	Spag Stag	159°	54°05.8°	50 8/21/57	Davi		35 - 15¢	20 - 90% (1) 20 - 90% 	Trace	:	(12t) (2)	600	#. gn. #. Clarr 60			Sk Tracen and I	Unalaska B
7/"Trace" - less than 1 pound of 8/Pacific ocean perch.	and black rockfish	Trace	1111	(1) 70 - 30% 30 - 20%		::::	1	(405)		X	dk. S. Clear 60	1950		8/21/57	Davidson Bank	, , ,	Trace 75 - 75%	(11) 20 - 90% Trace	1 1 1 1	•	G : EE	625	16-17 dr. gn. Clear 60			orzhovo	ıy, Alaska,
shrimp.	of figh		1111	1 1 1 1		!;;;		1 1 1		O Agoors	Mrd. Cloar 60	280°	53°46°	8/23/57		 700	1111	30 - 5 (12) 225 -	1 1 1 1		(2) (2) (2)	750	M. St. gn. Clear 60				July 18 to :
Blds. bk. bu.		20	10 - 10%	(2) 70 - μοχ 25	20 - 10%			111		tear 200	Ricy State 34	058°	54.00 to	8/29/57		50	20 Trace	75% Trace	Trace Trace	:	(7)	185 185	ţo	23			September
boulders - black - blue		16 -	Trace 25 = 50%	(5) 120 - 30% 40 - 20%		!;;;	:	(%)		115	gn. E. Clear 60	1330	54°20,5°	8/29/57		90	75	20 - 15% (1) 40 - 10%	Trace		ĒŒÊ	600	gn. M. Clear 60	6.		Between	S
₩ 800		Trace	1111	Trace			:	(7fft)		1 doors	gn. M. Clear 60	1120	54°12°	8/29/57		<u> </u> 8	By Trace	15% 20 - 20%	Trace		(15)	500	73-81 1. gn.W. Clear 60	1 20		Cherni	dureau of Co
clay G. coral gn. dark hrd	Symbols for	ipo Trace	1111	(1) 350 - 10%		10 (156) 2 (11) 1 (83)		£83		1200	bu. M. La. Clear 60	1360	55010.6'	9/18/57	Cold Bay	50	5000	25% 50 - 5	1 1 1 1		(2)	5200	59-62 1. 59-62 1. 60-62 60-62	13,0			ommercial
- grav - greei - hard	Types of	700	Trace 25 - 00%	(11) 500 - 85% Trace		16 (37) 10 (37)	35	(ofn.)		1500	bu #				Ibatan Bay	- 45	Trace	. 50% 40 	1111		(208)		ç,	- 05		The state of the s	Fisheries Ch
La. M. Rky.	Bottom	Trace	65 100 - 25%	7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		3 (50)	3	£®		B	bu H				Akutan Bay	ı		10%				775 L7		7.1"		0	artered Ves
- lava - mud - rocky		25 Irace	30 75 - 50%	(1)		5 (74) 55 (62) 15 (11)	5	(3) (13)		3	Clar Clar				Beaver Inlet	•	Trace	50 15% -			(58)	υ 52.7η	62-63 di. gn. H. U	7,		Off Cape Lasaref	Bureau of Commercial Fisheries Chartered Vessel Tordenskjold (Contd.)
s sand sft soft St stones		35	150 Frace 10 - 00%	(h)		5 (æ) 15 (æ)	28	(120)			bu, M. Clear 60	بة		60 9/29/57	Umalaska		1111	11111			1111	0	311° 61-63 Clear Clear	1.8	8/19/57		kjold (Con
V2		Trace	Trace Trace	28 (10) 28 (10)		irace	1	3£6	9		bu. H. Clear 60	177°	53°59.31		ska Bay	. 8	15 - 00X	(3) (3) (5) (5) (5) (5) (7) (7) (7) (8) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	Trpo	(1)0)	(278)	88	50-60 Sin. M. Clear	54°28,5° 163°41.1°	8/19/57		м.)

1/ Repaired davit, last 10 pots 2/ Severe storm lasting for 5 days of set hauled 9/	Unalaska Bay 36 53°56.8'	Beaver Inlet 34 55°47.2° 55°42.8°	Akutan Bay 33 54°10.5'	Morzhovoi Bay 32 54°57.8'	Cold Bay 31 55°11.5'	Stepovak Bay 30 55°38,2'	Chichagof Bay 29 55°37.9'	Dorenoi Bay 28 55°38.9'	Unimak Bight 27 54°30.2'	Davidson Bank 25 53°56.8° 26 54°13.1°	Off Cape Pankof 22 54°55.1' and Cape Lazaref 23 54°22.0'	Off Cherni I. 19 54°32.5° and 20 54°41.3° Umga I. 21 54°39.5°	16 55°04.5° 17 55°00.c° 18 55°01.3°		10 ski 1. 12	987	7 .01 ←	1 55°04.21 2 55°03.81 3 55°06.81	Vicinity Pot Start set posit	Table 2 – King Crab Pot Sets
of set haul lys. /26/57 with	166°35.6° 166°26.4°	166°30.2' 166°31.8'	165°42.11	162°58.81	162°31.81	159°55•0'	160°09,81	160°24.5'	164°04•81	163°21.0' 164°13.1' 163°52.9'	163°02•51 163°22•21	162°05.0° 162°38.2° 162°38.0°	161°04.5° 161°04.3° 161°21.5°			titi o		160°30.0' 160°26.0' 160°21.3'	Starting position de l. Longitude W.	Made from Shumagin
7/23/57 wit	53°50.81 10 53°56.01 10	53°50,3° 16	54°15°51 16	54°53.0' 1	55°09.61 16	55°45•7° 15	55°34.6° 16	55°33.81 16	54°35.8' 16	10°4°04'5 10°4°05°55 10°5°5°55 10°5°5°5°5 10°5°5°5°5°5°5°5°5°5°5°5°5°5°5°5°5°5°5°5	54°57°5° 16	24°43°11, 16 24°45°1, 16 24°52°51, 16			:	54°25.0° 16 54°30.7° 16 54°37.5° 16		1 0 0	End position Latitude N. Lo	Islands to
h average of 60 hours out.	166°35.51 9/	166°33.81 9/	165°45•41 9/	163°00.7' 9/	162°31•2° 9/	159°50•4' 9/	160°01.6' 9/	160°23 .5' 9/	163°55•91 8/	163°20.0' 8/ 164°24.5' 8/ 163°55.0' 8/	163°07.0° 8/ 163°24.1° 8/	162°24.61 162°49.71 162°34.01 8/	161°04.8° 8/ 161°09.3° 8/	<u>م</u> م	8.7.7	777	7.7.7	0' 7 9' 7 8' 7	ngitude W.	Unalaska Bay, Alaska,
hours out.	/28/57 9/30/57 /30/57 10/1/57	/24/57 9/25/57 /25/57 9/27/57	/21/57 9/23/57	9/19/57 9/20/57	9/18/57 9/19/57	9/11/57 9/15/57	9/7/57 9/11/57	/3/57 9/7/57	8/30/57 9/2/57	20/57 8/22/57 22/57 8/28/57 29/57 8/30/57	/16/57 8/18/57 /18/57 8/20/57	/10/57 8/12/57 /12/57 8/11/57 /11/57 8/16/57	/57 8/8 /57 8/3	57 8/0 57 8/0	757 8/3 8/3	1	57 7/2 57 7/2 57 7/2	/20/57 7/22/57 /22/57 7/24/57 /23/57 7/25/57	Date Date set hauled	a, July 20 to October
bk	143 14 24 11	22 3/ 19 14 3/ 19	50 16	20 16	26 16	89 17	93 17	96 17	66 17	138 2/ 20 26 17	43 20 39 20	43 20 42 20		£65 £	₽ ₽ ₽		355 5	टी 27 7. टी	Average Number hours pots out in set	ber 1, 1957, U.S.
black blue coral	28 - 84 37 -104	47 -101 29 -130	144 - 58	52 - 74	38 - 70	63 - 72	55 - 91	17 -104	27 - 58	39 - 57 1 48 - 61 1 47 - 63 1	52 - 62 42 - 63	67 - 82 52 - 68 58 - 78		- 57 - 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	848		61 80	- 72 - 92 -120	Depth range in fathoms	Bureau of Commercial Fisheries Chartered Vessel Tordenskjold
symbols gn. hrd.	bu, M. Rky. bu. M.	bu,M. Rky. bu,M. Rky.	bu.M.	bu.M.La.	bu.M.La.	gn.M.	sft.gn.M.S.	sft.gn.M.S.	gn.S.Sh.	bk.S.St. bk.S.St.	gn.M.S.	gn.M. gn.M. gn.M.Sh.	gn.M.S. sft.gn.M.	gn.S.M. Rky. Rky. bk.M.	gn.M.S.	Co. St. dk. gn. 8. dk. gn. S.	gn M.S.	dk.gn.s. gn.m. gn.m.s.	Bottom type 14/1	ercial Fisheries
green hard lava	9 17 95 17	88	61 115	13 5	164 15	24,8 12	185 1	227 216		1 1 1	1 1	73 2 333 9	79	1 1 7	1 - 1 1 1 1 1 1 1 1	8 8 8 8 8 8 8 8 8		11 18 28 9 40	King Crao Legal Small Fe males males	Chartered Vess
Rky S sft Sh	68 4 11	109		4	152	43 2	8	710	13 5	111	64	1 10 1 10 8	111	1 1 1 2		1 1 1 1 1 1	6 N U	17 4	Aò Females Tanner Crab	el Tordenskjo
rocky sand soft shells stones	346 1109	160	359 Lost 1 pot	390	24	255	295	51	522	18 Lost 3 pots	456 456	85 2 1078 376	124	15	641 785	10st 2 pots		854 475 209 Lost 1 pot	nor Remarks ab	ld.

							1								<u> </u>					goniurus.
							Symbols La lava M mud S sand	Type t lck	Sft sof Bk bla Bu blu			nyus f shrimp.	4/Miscellaneous shrimp include: Eualus suckleyi, Eualus macilenyus and Cragonidae. 5/"Trace" - less than one pound of shrimp. 6/Night drag.	4/Miscellaneous shrimp include: Enalus suckleyi, Enalus maci and Cragonidae. 5/"Trace" - less than one pound 6/Night drag.	4/Miscellar Evalus s and Cra and Cra 5/"Trace"		en starting point and end point number of pounds per species pound determined from analy ndom samples. Pandalus borealis and Pandalus	ig point and of pounds petermined in ples.	en starting number of r pound do indom san	1/Course given is between starting point and end point. 2/Catch breakdown into number of pounds per species and shrimp count per pound determined from analysis of 5- to 10-pound random samples. 3/Pink shrimp include: Pandalus borealis and Pandalus
						5			£	S	ţ	ŧ	12	œ	1		20	2	6	Tanner crab catch in numbers
	67			ļ.	6	8 8	16			٠ ا	<u>2</u>	- 1	; ')					-	remales
	^N	F		³		³ 18	*		6	52 L ³	18 12	242	212	7	5	•		ام	15	King crab catch in numbers: Legal-size males Small males
															1000			2	9900	catch-rate per 1/2 nour:
	30	175		trace	trace	5	N		<u>.,</u>	3800	2150	28 50	1950	2250	2600	1575		365 0	_	
	30	175		trace	trace	√ 1			3	3800	2150	1900	1300	1500	1750	1575		3650	catch: 3300	Ö
	13(68) trace 15(27) trace	90(173) 60(12) 20(31) 5		trace	trace	trace	trace 1(49) trace	5/) 3300(147) 186(56) 280(66) 30	1950(151) 60(46) 125(102) 25	1680(227) 70(26) 50(35) 100	1075(188) 175(38) 10(185) 40	1375(169) 20(38) 35(70)	1450(1 <i>7</i> 7) 150(34) 60(25) 90	(162) (162) (162)	3500(169) 127 100(38) 19 30 50 80		2/ 2870(173) 315(37) 30(97) 85	Shrimp catch in pounds (whole shrimp per pound): Pink 3/ Pink 3/ Side-stripe Coon-stripe Liscellaneous Li/
										y•	Net mudded slightly.	Net mudded slightly.	! !	* *					: 1	Remarks
	8			٧	30	30	30		30	30	↓_	20	20	20	20		30	30	30	Time on bottom in minutes
	70-80 bu.M. Clear	# × 35		22-35 bu.M. Clear	157 46-52 bu. M. Clear	012° 58-61 bu.H. Clear	742°			007° 56-67 gn.H. Clear	335° 60-65 gn.M. Clear	046° 52-56 gn.M.Sh. Clear	321° 57-62 gn.M.Sh. Clear	035° 58-60 gn. M. La. Clear	243° 58-62 gn.M.La. Clear	153° 58-72 gn.M.La. Clear	. La.	-	265° 54-55 gn.W.Ja. Clear	Course, magnetic 1/ Depth range in fathoms Type of bottom frawling bottom
	53°58.4' 166°30.1'	r*51	3.61	1	54°14.0°	54°15.2°	54°10.8'	14.	ļ	55°25.91 160°55.81	55°23.1° 160°56.4°	55°14.11 161°49.41	55°11.8' 161°45.8'	55°16.1' 161°42.6'	55°17.9° 161°41.7°	55°22•8'	55°19.0' 55		55°18.4°	Latitude N. Longitude W.
· · · · · · · · · · · · · · · · · · ·	9/30/57				9/22/57	9/22/57	9/22/57	9/22/57		9/11:/57	9/11:/57	9/11:/57	9/14/57	9/13/57	9/13/57	9/13/57	9/13/57 9/		9/13/57	Date
	*		<u>ħ</u>	(VI	33	Ж	31	30	3	29	28	27	26	25	뫋	23		22	21	Drag number
	Unalaska bay	Beaver Inter				Akutan Bay				Beaver Bay	-			Pavlof Bay	Ukolnoi Island to Pavl	Ukolnoi				Area
									-											
	12	٤	16	8	16	10	18	33	22	28		2	38	16 3	56	54	74	ηţ	6	Tanner crab catch in pounds:
	11"	111	311	111	11-	=	=	8	8 2 12	10	21	1 1 47	3 3	111	7 00	115	115		111	King crab eatch in numbers: Legal-size males Small males Fenales
	200	1000	900	630	525	185	800	1050	1800	3000		5 2100	0 2025	900 60	2100	1020	1350	2100	1830	Catch-rate per 1/2 hours
	200	1000	900	120	350	125	530	700	1200	2000	ļ	14,00	.0 1350	004 006	ਸ਼ੇ00	680	900	14,00	catch: 1830	Estimated total shrimp ca
	170(100) 25(46) 5(26) 2) 900(124) 10(120) 75(44)) 785(195) 50(131) 55(54)	380(168) 10(160) 25(16) 3	300(103) 2(85) 45(40) 3	110(92) 2(81) 10(54)	5) 500(120) 5) 5(50) 20(74) 2	0) 550(173) 6) 100(135) 35(75)	175(150) 175(106) 50(51)	1900(180) 80(55) 20	153)	0(19/ ₁) 1350(153) 74) 50(134)	36(155) . 1290(19) 2(100) 1(85) 50(74) trace 10	170(60) 3 170 t.	1000(140) 400(57) 5(90) 5	680(118)	157) 890(115) 10(70) 5/ trace	1355(1 7(85) 38(14)	2/ 1650(157) 115(103) 55(59) 10	Shrimp catch in pounds (whole shrimp per pound): Pink 3/ Side-stripe Coon-stripe Uiscellaneous 14/
			11			11			11	11	11		Severe net	Sı	! !	11	11			Remarks
	30	36	30	20	20	20	ಶ	20	20	20	20	28	0 20	20 20	20	20	20	20	30	Time on bottom in minutes
	1930 84-87 gr. 4. clear	1960 64-65 67-84	001° 62-64 bk.M.S. Clear	0120 68-69	3410 67-69 gn.M.S. Clear	353° 70-72 gn. W. Clear	2700 67-72 gn. M. Clear	070° 77-80 %, gn.w. Clear	100° 73-77 n.M. sft.gn.M. Clear	260° 68-75 sft.gn.M.	0990 18-22 gn. M. S. Clear	1650 57 46-50 4.Sh. En.M.	162° 300° 68-72 57-67 gn. M. Sh. Snag Clear	257° 14 75-78 64 gm.M Clear Si	022° 68-74 sft.gn.W. Clear	173° 53-58 gn. M. S. Clear	116° 62-64 62-64	190° 62-65 gn.M Clear	165° 65-71 gn. M. Clear	Course, magnetic 1/ Depth range in fathoms Type of bottom Trawling bottom
1	55° 35, 8° 159° 57, 2°	55°45.21 51 159°52.31	3' 55°48.0' 3' 159°47.5'	55°45.3° 4° 159°48.3°	6' 159°49,4'	55° 38.0° 6° 159°48.6°	55°25,8° 1' 160°32,6'	2' 55°27.0' 6' 160°32.1'	,91 55°28,21 160°33,61	55°27.9° 2.7° 160°34.4°	.41 55°32.51 17.11 160°42.71	28,5° 55°31.4° 35,2° 160°37,1°	55°01.6' 55°28.5' 160°30.0' 160°35.2	55°01.5° 5! 160°25.6' 10	54°59.8°	54058.7	51 54°59,91 61 160°32,51	l' 55°00.6'	160°30.91 7,0°55	Latitude N. Longitude W.
	9/12/57	9/12/57		9/12/57		9/12/57		7 9/10/57	57 9/10/57	57 9/10/57	57 9/10/57)/57 9/10/57	9/5/57 9/10/57	9/6/57 9,	9/6/57	9/6/57	9/6/57	9/6/57	9/6/57	Date
	20	19	18	17	16	15	ητ	13	12	11	10	9	7 <u>6</u> / 8	6	5	4	3	2	1	Drag number
			Stepowak Bay	1				Unga Strait	-		oa Bay	Balboa			Sealion Rocks	miles south of S	3 to 6 mi			Area
		•	Bureau of Commercial Fisheries Chartered Vessel Tordenskjold.	Vessel <u>T</u>	Chartered	Fisheries	mmercial	reau of C	u.s.	o 30, 1957,	September 6 to	Alaska, Sept		s to Unalas	Gulf Shrimp Trawl Fishing LogShumagin Islands to Unalaska Island,	l LogShur	awl Fishing	Shrimp Tr	ω I	Table

en de la financia de la companya de

ſ	T	able 4 – In	dividual Pots	Catching 10 o	r More Lega	ıl-Size Kir	ng Crab,	Shumagi	n Islands to l	Jnalaska Ba	ay, Alaska,
Date	Set	July 7	20 to October	1, 1957, U. S	Depth in	Hours	ial Fisher	ries Char ng Crab	tered Vessel	Tordenskjo Tanner Crab	<u>ld</u> .
Set	Number	Number	Lat. N.	Long. W.	Fathoms	Out	Males	Males	Females	Catch	Bait
7/22/57	2	7	55°03•3'	160°23•3'	83	46 1	11			36	Fresh sculpin
7/23/57	3	9 10	55°08•3' 08•4'	160°15.4° 14.8°	80 62	11년 142	21 14			31 1	Frozen mixed flatfish
8/6/57	16	1 ,3 4	55°04.5'	161°04 ₀ 5' 04 ₀ 5'	74 87	拉拉	10 1 6			10 12	Fresh turbot
		*4 8	03.4° 01.6°	04.51	85 74	132 142	29 11		200 - circ rep.	17	Fresh sculpin
8/8/57	18	17	55°06.31	161°10.8'	60	39	18			2	Frozen sculpin
8/12/57	20	1 4 5 6	54°41.3' 42.9' 43.4' 43.9'	162 ⁰ 38.21 38.61 38.61 38.61	68 66 66 67	145 145 146	11 10 13 13		1	7 24 30 40	
8/14/57	21	4 5 7	54°39.9' 40.1' 40.4'	162°36.5' 36.0' 35.1'	70 72 78	사를 사를 43를	20 10 14	1 3 	2	28 15 26	
		9	40.7' 41.0'	34.7° 34.6°	76 74	42 2	ठी २०			27 1 1	Fresh sculpin
		12	41.7	34.5°	70 69	<u> 41</u> 년 41	15 18		1	1 <u>3</u>	·
		14 15 16	41.9' 42.1'	34.4° 34.3°	68 67	40 2 40	38 20			5 29	
		17 18 19	1,2.3' 1,2.5' 1,2.7' 1,2.9'	34.2' 34.2' 34.1' 34.1'	65 64 65 62	39½ 39 38½ 38	11 31 20 20	2		15 놰 2나 17	
9/3/57	28	6 7 8	55°37•3' 37•0' 34•4'	160°20.7' 20.5' 16.3'	57 60 104	99 98출 98	16 26 18	2 3	8 5	 4 6	Frozen sculpin
		9 10 12	34.4° 34.3° 34. 2 °	17.3' 18.2' 20.0'	102 101 97	97분 97 9나분	30 23 26			1 8	_
		13 14 15	34.0° 34.0° 33.9°	20.6' 21.4' 22.1'	92 84 77	94½ 94½ 94 93½	34 24 21	10	1	5 4 5 	Frozen turbot Frozen turbot & sculpin Frozen turbot Frozen mixed flatfish
9/7/57	29	4 5 6	55°37•6' 37•3' 37•1'	160°08.2' 07.2' 07.3'	67 68 70	95년 95 9년	11 33 18		3	20 11 19	Fresh sculpin
		10 12	36.1' 35.7'	05.2° 04.1°	77 87	93 92½	21 17			15 34	Fresh turbot Fresh turbot and
		. 13 15	35•41 34•91	03.41	87 88	92° 91	44 20	 1	2	22 12	eelpout
		17	34.61	01.6'	91	90 ^호	13			26	Fresh sculpin
9/11/57	30	3 4 5	55°39•2' 39•7' 40•2'	159°54.3' 53.9' 53.6'	70 69	89 88 <mark>글</mark> 88글	23 25	2		2 5	Fresh lemon "sole"
		6 7	40.8° 41.2°	53•3' 53•1'	69 68 67	88 87 <u>ਵੇ</u>	15 13 27	1		16 18 5	Fresh sculpin
		<u>8</u> 9	41.61 42.11	52.81 52.41	67 67	87 87	20 34			11	Fresh lemon "sole"
		10 14 16	42.7' 44.5' 45.7'	52 . 1' 51.0' 50.3'	66 64 64	86호 85 8나눌	21 17 14	1	 5	16 15 22	Fresh sculpin
9/18/57	31	4 5	55°10.5' 10.2'	162°31.5' 31.4'	58 65	26½ 26	11 30	2	21 17	2	Frozen turbot and lemon "sole"
	}	9	09.6' 09.2' 08.7'	31.3' 30.5' 29.4'	69 62 39	25 2년 23년 23년	29 11 12	1	9 20 40	2	Frozen sculpin
	Ì	13 14	08.6' 08.4'	29.0' 28.7'	38 39 39	23 22½	1 <u>1,</u> 11	1	<u>/11</u> 51		110mon Southin
9/21/57	33	15 5 6	08.2°	28.3'	57	23 5년	13	12	36	- 27	Fresh sculpin
9/30/57			1/4.01 53°58.81	لبل _• 9' 166°30•2'	57	2년	15	15	4	27 14	rresh scutpin
7/24/21	37	5 7 9 10	53°58•81 58•31 57•81 57•21	32.21 32.21 34.31 33.71	92 104 83 81	212 23 22 212 212	16 20 19 31	1 5 1	1	64 73 137 110	Fresh small pollock and small flatfish