

**2008 survey information:
Walleye pollock bycatch in Japanese
salmon surveys**

A. Nishimura, K. Morita, M. Fukuwaka, T. Nagasawa

(Hokkaido Nat. Fish. Res. Inst., Kushiro)





&

S. Satoh


(Nat. Salmon Res. Center, Sapporo)

CBSPC, S&T meeting, Sep, 2008

Bycatch in Kaiyo Maru sub-surface trawl salmon survey




Bycatch in Hokko Maru sub-surface trawl salmon survey




Fork length of bycatch pollock;
567 mm (not young fish), on July 8, 2008

Pollock bycatch from Wakatake Maru salmon survey




Pollock bycatch from salmon survey gillnet



	Catch no/12h		Effort		CPUE	
	Survey	Comm.	Survey	Comm.	Survey	Comm.
1981	589	234	630	2232	0.93	0.10
1982	895	424	720	2400	1.24	0.18
1983	1717	366	684	1594	2.51	0.23
1984	1372	732	862	3479	1.59	0.21
1985	314	254	658	2376	0.48	0.11
1986	557	547	631	1986	0.88	0.28
1987	1691	90	1110	1450	1.52	0.06
1988	690	20	780	3340	0.89	0.01
1989	65	16	480	640	0.14	0.03
1990	17	55	420	675	0.04	0.08
1991	1	0	240	400	0.00	0.00
1992	0	0	330	209	0.00	0.00
1993	0	1	330	209	0.00	0.00
1994	87	44	330	209	0.26	0.21
1995	10	2	330	209	0.03	0.01
1996	2	1	270	171	0.01	0.01
1997	0	0	300	190	0.00	0.00
1998	17	23	330	209	0.05	0.11
1999	0	0	330	209	0.00	0.00
2000	0	0	330	209	0.00	0.00
2001	1	1	390	247	0.00	0.00
2002	0	0	390	247	0.00	0.00
2003	0	0	420	266	0.00	0.00
2004	0	0	420	266	0.00	0.00
2005	0	0	420	266	0.00	0.00
2006	0	0	420	266	0.00	0.00
2007	0	0	420	266	0.00	0.00
2008	1	2	420	266	0.00	0.01

Pollock bycatch from salmon survey gillnet



Fork length of bycatch pollock(in June-July, 2008);
590 mm, 681 mm, 688 mm