

Definition of carapace size classes for male crab species caught in the National Marine Fisheries Service eastern Bering Sea trawl survey. Carapace length (CL) is measured for *Paralithodes* spp. and *Erimacrus isenbeckii*, while carapace width (CW excluding spines) is measured for *Chionoecetes* spp. Female maturity is defined by abdominal flap morphology and egg presence.

	Immature males	Mature males	Legal	Preferred
<b><i>Paralithodes camtschaticus</i></b>	<120 mm	≥ 120 mm	≥ 135 mm	
Bristol Bay District				
Pribilof District	<120 mm	≥ 120 mm	≥ 135 mm	
<b><i>P. platypus</i></b>				
Pribilof District	<120 mm	≥ 120 mm	≥ 135 mm	
St. Matthew Island	< 105 mm	≥ 105 mm	≥ 120 mm	
<b><i>Chionoecetes bairdi</i></b>				
East of 166° W	<113 mm	≥ 113 mm	≥ 120 mm	≥ 125 mm
West of 166° W	<103 mm	≥ 103 mm	≥ 110 mm	≥ 125 mm
<b><i>Chionoecetes opilio</i></b>		≥ 95 mm	≥ 78 mm	≥ 102 mm
<b><i>Chionoecetes hybrid</i></b>		≥ 95 mm	≥ 78 mm	≥ 102 mm
<b><i>Erimacrus isenbeckii</i></b>			≥ 83 mm	